Schwarzwald®



Home Care Products

Air treatment products
Floor care products

OEM&ODM

CONTENTS

01
COMPANY PROFILE
PAGE:01-03

02
DESKTOP AIR PURIFIER
PAGE:04-08

03
HOUSEHOLD AIR PURIFIER
PAGE:09-13

04
CAR AIR PURIFIER
PAGE:14

05
HUMIDIFIER
PAGE:15

06
NEW PRODUCTS
PAGE:16-17

07
VENTILATION SYSTEM
PAGE:18-25

08
HANDHELD VACUUM CLEANER
PAGE:26-32

09
FLOOR WASHER
PAGE:33-34

10
CAR VACUUM CLEANER
PAGE:35

COMPANY PROFILE

Focus On Air Treatment OEM&ODM for More Than 10 Years Old



As the biggest air purifier manufacturer in East China, Schwarzwald is the expert in providing air pollution solution. Up to now, Schwarzwald has developed the air purifiers for Car / Desktop / Home / Family series / Commercial and also has the Ventilation system products for Central / Decentralized / Cabinet / Pip less type.

Since it's incepted, Schwarzwald's entire work culture and work ethic has been built on a foundation of service excellence and great products to its partners.

With the factory of over 45000 square meters and complete supporting settings, Schwarzwald has 6 production lines and 280 employees ready to provide best products to partners.

With great Quality Control System, Schwarzwald has passed the audit of many famous brands and have partners in 30 countries around the world. We will keep improving ourselves to provide better and better service and products to our partners.....

CERTIFICATES



ISO 9001



ISO14001




BSCI



ETL



ROHS




CE



ISTA-6A



CB



ERP


FUNCTION TEST



CADR TEST



DROPPING TEST



NOISE TEST



HIGH/LOW TEM &HUM

PRODUCT AGING TEST



TESTING EQUIPMENT



OWN INJECTION FACTORY





DESKTOP
AIR PURIFIER






AP1207



AP1207B




AP1210




AP1211


AP1207



- Three wind speeds
- Child lock/Anion
- Filter replacement reminder
- Timingfunction








Japan LED light




Technical Data		
Model	AP1207	AP1207(Japan LED light)
Voltage	110-240V,50/60V	DC24
Rated power	30W	13W
CADR	120m³/h(H11)	50m³/h(H11)
Noise	⩽55dB(A)	⩽55dB(A)
Coverage area	14㎡	6-11㎡
Motor	DV/AC motor	DC motor
N.W	2.5KG	2.5KG
G.W	3.3KG	3.3KG
Dimension	225*225*310mm	225*225*310mm
Color box size	253*253*354mm	253*253*354mm
Carton boxsize	265*265*380mm	265*265*380mm
Loading Qty	20'' 1056 / 40'' 2112	20'' 1056 / 40'' 2112
	40''HQ 2464	40''HQ 2464
Functional features		
	Dust sensor	Dust sensor
	Tuya WIFI	Tuya WIFI
	Negative ions	Negative ions
	Aromatherapy function	Aromatherapy function
		Japan LED light kill virus


AP1207B



- Three wind speeds
- Child lock/Anion
- Filter replacement reminder
- Timingfunction











Technical Data	
Model	AP1207B
Voltage	110-240V,50/60V
Rated power	30W
CADR	120m³/h(H11)
Noise	⩽55dB(A)
Coverage area	14㎡
Motor	AC/DC motor
N.W	2.5KG
G.W	3.3KG
Dimension	243*243*310mm
Color box size	278*278*362mm
Carton boxsize	290*290*380mm
Loading Qty	20'' 958 / 40'' 1966
	40''HQ 2294
Functional features	
	Dust sensor
	Four color light dust indicator
	Tuya WIFI
	Negative ions
	Aromatherapy function

AP1210












UV light




Technical Data		
Model	AP1210	AP1210UV(Sensor models)
Voltage	110-240V， 50/60V	220-240V,50V/60V
Rated power	30W	38W
CADR	120m³/h	80m³/h(H11)
Noise	⩽55dB(A)	⩽55dB(A)
Coverage area	14㎡	9.6㎡
Motor	AC motor	AC motor
N.W	2.7KG	2.7KG
G.W	3.7KG	3.7KG
Dimension	210*210*310mm	210*210*310mm
Color box size	245*245*370mm	245*245*370mm
Carton boxsize	265*260*410mm	265*260*410mm
Loading Qty	20'' 990 / 40'' 2024	20'' 990 / 40'' 2024
	40''HQ 2160	40''HQ 2160
Functional features		
	Dust sensor	Dust sensor
	Tuya WIFI	Tuya WIFI
	Negative ions	Negative ions
	Aromatherapy function	Aromatherapy function
		UV light(7W)


AP1211











Technical Data	
Model	AP1211
Voltage	110-240V,50/60V
Rated power	30W
CADR	120m³/h(H11)
Noise	⩽55dB(A)
Coverage area	8-14㎡
Motor	DC/AC motor
N.W	2.5KG
G.W	3.3KG
Dimension	228*228*324mm
Color box size	253*253*370mm
Carton boxsize	265*265*370mm
Loading Qty	20'' 1049 / 40'' 2199
	40''HQ 2496
Functional features	
	Dust sensor
	Tuya WIFI
	Negative ions
	Activated carbon
	Aromatherapy function

HOUSEHOLD AIR PURIFIER






AP3001



AP3006





AP5002



AP5006

AP3001








Technical Data	
Model	AP3001
Voltage	110-240V,50/60V
Rated power	55W
CADR	310m³/h(H11)
Noise	63dB(A)
Coverage area	25-37㎡
Motor	Nidec AC motor
N.W	8.6KG
G.W	11KG
Dimension	402*187*624mm
Color box size	465*230*690mm
Carton boxsize	480*248*705mm
Loading Qty	20'' 324 / 40'' 660 / 40''HQ 805
Functional features	
	Dust sensor
	PM2.5
	Four color light dust indicator
	Negative ions
	Activated carbon filter
	Photocatalyst filter
	UV lamp sterilization
	Remote control/Tuya wifi

FAMILY SERIES:AP2006 SERIES











AP2006 AP3006 AP6006

Technical Data			
Model	AP2006	AP3006	AP6006
Voltage	110-240V,50/60V	110-240V,50/60V	110-240V,50/60V
Rated power	23W	33W	66W
CADR	260m³/h(H11)	360m³/h(H11)	510m³/h(H11)
Noise	≤58dB(A)	63dB(A)	63dB(A)
Coverage area	14.7-25.2㎡ （H11)	25-37㎡	35-62㎡
Motor	DC motor	Nidec DC motor	Nidec DC motor
N.W	5.2KG	8.6KG	10KG
G.W	7.2KG	11KG	13KG
Dimension	347*175*535mm	410*210*628mm	460*230*710mm
Color box size	396*225*603mm	460*260*690mm	524*297*771mm
Carton boxsize	415*240*625mm	480*268*713mm	545*317*795mm
Loading Qty	20'' 466 / 40'' 972	20'' 312 / 40'' 588	20'' 202 / 40'' 420
	40''HQ 1078	40''HQ 660	40''HQ 465
Functional features			
	Dust sensor	Dust sensor	Dust sensor
	Child lock	Child lock	Child lock
	Four color light dust indicator	Four color light dust indicator	Four color light dust indicator
	Negative ions	Negative ions	Negative ions
	Activated carbon filter	Activated carbon filter	Activated carbon filter
	Remote control/Tuya wifi	Remote control/Tuya wifi	Remote control/Tuya wifi
	Temperature and humidity sensor	Temperature and humidity sensor	Temperature and humidity sensor
	PM2.5、temperature and humidity digital display	PM2.5、temperature and humidity digital display	PM2.5、temperature and humidity digital display

AP5002
















Technical Data		
Model	AP5002(UV lamp)	AP5002(Philip 32w UV lights)
Voltage	220-240V,50/60V	220-240V,50/60V
Rated power	62W	88W
Coverage area	38.5-66㎡	38.5-66㎡
Motor	DC motor	DC motor
N.W	11.5KG	11.5KG
G.W	13.5KG	18.5KG
Dimension	440*230*645mm	440*230*645mm
Color box size	510*300*725mm	510*300*725mm
Carton boxsize	535*315*755mm	531*312*742mm
Loading Qty	20'' 227 / 40'' 469 / 40''HQ 528	20'' 226 / 40'' 490 / 40''HQ 554
Functional features		
	Dust sensor(laser)	Dust sensor(laser)
	Four color light dust indicator	Four color light dust indicator
	Negative ions	Negative ions
	Temperature and humidity sensor	Temperature and humidity sensor
	Automatic purification mode	Automatic purification mode
	PM2.5、temperature and humidity	PM2.5、temperature and humidity
	digital display	digital display 、VOC level display
	Night mode	Night mode
	Remote control/Tuya WIFI	Remote control/Tuya WIFI
	H12 level with carbon cloth filter	H12 level with carbon cloth filter
	UV light(6W)	Philip 32w UV lights
	Sleep mode	Sleep mode
	Smart light perception	Smart light perception
	Hidden universal wheel design	Hidden universal wheel design

AP5006





Technical Data	
Model	AP3001
Voltage	220-240V,50/60V
Rated power	65W
CADR	630m³/h(H11)
Noise	< 65dB(A)
Coverage area	44.1-75.6㎡
Motor	DC motor
N.W	12KG
G.W	15KG
Dimension	462*268*558mm
Color box size	550*360*650mm
Carton boxsize	568*378*670mm
Loading Qty	20'' 186 / 40'' 384 / 40''HQ 384
Functional features	
	Dust sensor
	PM2.5
	Four color light dust indicator
	Negative ions
	Activated carbon filter
	Photocatalyst filter
	UV lamp sterilization
	Remote control/Tuya wifi

CAR AIR PURIFIER





Technical Data	
Model	AP0061
Voltage	5V
Rated power	5W
CADR	5m³/h(H11)
Noise	3.5-6(H11 Carbon cloth)
Coverage area	Car/Desktop
Motor	DC motor
N.W	0.38KG
G.W	0.48KG
Dimension	70*H220mm
Color box size	142*252*102mm
Carton boxsize	142*252*102mm
Loading Qty	20'' 9110 / 40'' 16566
	40''HQ 18732
Functional features	
3wind speeds	HEPA+Activated carbon filter
Negative ions	Aromatherapy function
Atmosphere lamp	Car/Desktop
Bluetooth speaker	USB rechargeable lithium battery

AP0061



AP0031








Technical Data	
Model	AP0031
Voltage	5V
Rated power	2W
CADR	2.5m³/h(H11)
Noise	25-37
Coverage area	Car/Desktop
Motor	DC motor
N.W	0.17KG
G.W	0.45KG
Dimension	73*H125mm
Color box size	166*112*95mm
Carton boxsize	166*112*95mm
Loading Qty	20'' 6956 / 40'' 15650
	40''HQ 17255
Functional features	
A:HEPA filter	
B:Activated carbon filter	
Essential oil aromatherapy function	
Anion function	

SC-H01
HUMIDIFIER





Press once to start continuous spray
Press the button twice to start the continuous spray




Technical Data	
Model	SC-H01
Voltage	5
Rated power	2
The amount of fog	25-45
Capacity	250
Temperature control method	constant temperature
Noise	35
Coverage Area	Room
Motor	DC motor
N.W	0.17KGS
G.W	0.45KG
Dimension	110*78*78mm
Carton size	342*342*242mm
Loading Qty	20'' 29568pcs/924(carton) 40''65280pcs/2040(carton) 40''HQ 5072pcs/2346(carton)

007 SERIES

NEW PRODUCTS







Technical Data			
Model	AP007-1	AP007-2	AP007-3
Volatge	110-240 v ,50/60 Hz	110-240 v ,50/60 Hz	110-240 v ,50/60 Hz
Power	20W	32W	62W
Noise level	54.8 dB(A)	65 dB(A)	68 dB(A)
CFM	147CFM	265CFM	382CFM
CADR (Partical)	250m3/h	450m3/h	650m3/h
Filters Stage	Three Stages	Three Stages	Three Stages
Application Area	194 ~ 323 sq ft	301 ~ 517 sq ft	495 ~ 840 sq ft
Application Area	18-30sqmt	32-54sqmt	46-78sqmt
Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter
Optional	Update to H13 HEPA(+2USD)	Update to H13 HEPA(+2USD)	Update to H13 HEPA(+2USD)
Functions	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button
Package	Dimension:250*250*480mm Inner box:421*248*608mm outer box:437*364*641mm 20GP:380PCS 40GP:792PCS 40HQ:940PCS	Dimension: 300*300*550mm Carton size 486*282*696mm N/W 8.8kg G/W 10.8kg 20GP:325pcs 40GP:663pcs 40HQ:738pcs	Dimension: 300*380*650mm Inner box:534*306*780mm Outer box:550*321*813mm 20GP:198PCS 40GP:408PCS 40HQ:462PCS

008 SERIES

NEW PRODUCTS









Technical Data			
	AP008-1	AP008-2	AP008-3
Volatge	110-240 v ,50/60 Hz	110-240 v ,50/60 Hz	110-240 v ,50/60 Hz
Power	20W	32W	62W
Noise level	54.8 dB(A)	65 dB(A)	68 dB(A)
CFM	147CFM	265CFM	382CFM
CADR (Partical)	250m3/h	450m3/h	650m3/h
Filters Stage	Three Stages	Three Stages	Three Stages
Application Area	194 ~ 323 sq ft	301 ~ 517 sq ft	495 ~ 840 sq ft
Application Area	18-30sqmt	32-54sqmt	46-78sqmt
Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter	1:Pre-filter 2:H11 HEPA 3:Activated carbon Filter
Optional	Update to H13 HEPA(+2USD)	Update to H13 HEPA(+2USD)	Update to H13 HEPA(+2USD)
Functions	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button	1)Fan speed :low-middle-high 2)Timing 1-4-8 h 3)Reset button
Package	Dimension:250*250*480mm Inner box:421*248*608mm Outer box:437*264*641mm 20GP:380PCS 40GP:792PCS 40HQ:940PCS	Dimension: 300*300*550mm Carton size 486*282*696mm N/W 8.8kg / G/W 10.8kg 20GP:325PCS 40GP:663PCS 40HQ:738PCS	Dimension: 300*380*650mm Inner box:534*306*780mm Outer box:550*321*813mm 20GP:198PCS 40GP:408PCS 40HQ:462PCS

VENTILATION SYSTEM






AP3001G



HESQ-1500DH-HB

HFSX-60WH



HFSQ-150DH-CNX



HESQ-150DH-I



HFSQ-150DH-A



HESX-150DH-CNX




HESQ-1000DH


AP3001G

Wall-amount Ventilation













Technical Data	
Model	AP3001G
Power	55W
Voltage	50-60Hz
Net weight	10KG
Dimension	402*186*624mm
Noise	20-55dB(A)
Coverage area	35-60㎡
Fresh air volume	90m/h
PM2.5 CADR value	260m3/h
PM2.5CCM	P4
Formaldehyde CADR value	50m3/h
Formaldehyde CCM	F4
Recommended scene	Bedroom, bachelor apartment

Functional features:

1.Exchange the air inder and outdoor
2.One-way introduction of fresh air
3.Multiple indoor purification
4.6 purification system
5.DC 301v motor

HESQ-150DH-HB~HESQ-350DH-HB







Technical Data			
Model	HESQ-150DH-HB	HESQ-250DH-HB	HESQ-350DH-HB
Power	80W	160W	160W
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Dimension	680*530*220mm	700*560*220mm	800*650*220mm
Noise	33-38dB(A)	35-41dB(A)	37-47dB(A)
Coverage area	60-100㎡	100-160㎡	130-230㎡
Grades of wind speed	3 speeds	3 speeds	3 speeds
Air volume	150m3/h	250m3/h	350m3/h
Purification efficiency	> 98%	> 98%	> 98%
Recommended scene	Real estate project		

Functional features:

1.Surface spray treatment

2.Efficient heat recovery, imported heat exchange materials, anti-mildew and antibacterial, fire and flame retardant

3.Optional sensor, realize intelligent control; WIFI connection, remote control

4.HEPA filter above H11 level (Medium-efficiency filter is optional on the fresh air inlet side)


5.3 speeds, optional DC fan

6.Two-way ventilation

HFSX-60WH









Technical Data	
Model	HFSX-60WH
Power	200W
Voltage	220V/50Hz
Dimension	354*228*110mm
Noise	33-38dB(A)
Coverage area	60-100㎡
Grades of wind speed	3speeds
Air volume	60m3/h
purification efficiency	>95%
Recommended scene	Real estate project
Noise	22dB(A)


Functional features:

1.DC motor
2.Remote control
3.Multiple working modes: auto/sleep/auxiliary heating
4.H13HEPA+Nylon net initial effect (dust bag)

HFSQ-150DH-CNX~HFSQ-350DH-CNX









Technical Data			
Model	HFSQ-150DH-CNX	HFSQ-250DH-CNX	HFSQ-350DH-CNX
Size(excluding air outlet)	H:940mm W:580mm D:245mm	H:940mm W:580mm D:245mm	H:970mm W:620mm D:245mm
Installation form	Ceiling ventilation system	Ceiling ventilation system	Ceiling ventilation system
Power Supply	AC220/50Hz	AC220/50Hz	AC220/50Hz
Fresh air volume	150m³/h	250m³/h	350m³/h
Power	130W	230W	300W
Noise(excluding ambient noise)	≤43dB(A)	≤44dB(A)	≤48dB(A)
Applicable area	60-100㎡	100-170㎡	140-230㎡

Functional features:

1.Air volume range 100-350m3/h
2.Dc motor, AC motor according to the needs of optional
3. Imported paper is used for total heat recovery, which is bacteriostatic and flame retardant
4. Optional internal circulation purification, sterilization, disinfection of customized intelligent mode
5. Internal circulation configuration is selected to solve the problem of condensation and low supply air temperature in winter
6. Intelligent control, automatic operation according to indoor and outdoor environment conditions
7. With H13 high efficiency filter, the filter efficiency of 0.34m dust and bacteria is up to 99.9%
8. Optional PHOTO PLASMA sterilization and disinfection technology does not produce ozone

HESQ-150DH-I~HESQ-350DH-I









Technical Data			
Model	HESQ-150DH-I	HESQ-250DH-I	HESQ-350DH-I
Size(excluding air outlet)	H:680mm W:530mm D:220mm	H:700mm W:560mm D:220mm	H:800mm W:650mm D:220mm
Installation form	Ceiling ventilation system	Ceiling ventilation system	Ceiling ventilation system
Power Supply	AC220/50Hz	AC220/50Hz	AC220/50Hz
Fresh air volume	150m³/h	250m³/h	350m³/h
Power	100W	180W	240W
Noise(excluding ambient noise)	≤43dB(A)	≤44dB(A)	≤48dB(A)
Applicable area	60-100㎡	100-170㎡	140-230㎡


Functional features:

1. Air volume range 150-350m/h
2. DC motor, AC motor according to the needs of optional
3. the total heat recovery using imported paper, antibacterial, flame retardant
4. H13 high efficiency filter, with a filtration efficiency of 99.9% for 0.3um dust and bacteria
5. Right angle shape, plastic sprayed surface

HESX-150DH-CNX~HESX-350DH-CNX









Technical Data			
Model	HESX-150DH-CNX	HESX-250DH-CNX	HESX-350DH-CNX
Size(excluding air outlet)	H:765mm W:400mm D:230mm	H:765mm W:450mm D:230mm	H:800mm W:500mm D:230mm
Installation form	Ceiling ventilation system	Ceiling ventilation system	Ceiling ventilation system
Power Supply	AC220/50Hz	AC220/50Hz	AC220/50Hz
Fresh air volume	150m³/h	250m³/h	350m³/h
Power	80W	90W	110W
Noise(excluding ambient noise)	≤38dB(A)	≤41dB(A)	≤45dB(A)
Applicable area	60-100㎡	100-170㎡	140-230㎡


Functional features:

1. Air volume range 150-350m/h
2. DC motor, AC motor according to the needs of optional
3. The customized intelligent mode of internal circulation purification, sterilization and disinfection is optional
4. H13 high efficiency filter, with a filtration efficiency of 99.9% for 0.3um dust and bacteria
5. Intelligent control, automatic operation according to indoor environmental conditions
6. Optional light plasma（PHOTO PLASMA）sterilization and disinfection technology does not produce ozone

HESQ-1000DH







Technical Data	
Model	HESQ-1000DH
Size(excluding air outlet)	H:1260mm W:1000mm D:400mm
Installation form	Ceiling ventilation system
Power Supply	AC220/50Hz
Fresh air volume	1000m³/h
Power	> 50%
Noise(excluding ambient noise)	≤49dB(A)
Applicable area	230-450㎡

Functional features:

1. Air volume range 800-1000m/h
2. Imported DC motor
3. Optional full heat recovery, imported material, bacteriostatic and flame retardant
4. H13 high efficiency filter, with a filtration efficiency of 99.9% for 0.3um dust and bacteria
5. Intelligent control, automatic operation according to indoor environmental conditions

HANDHELD VACUUM CLEANER





AP8002



AP8006-3



AP8006-4



AP8011-1



AP8011-2



AP8018

VC8002-2/VC8002-3







Technical Data		
Model	VC8002-2	VC8002-3
Motor Power (W)	200W	300W
Battery Type	22.2V，2000mAh，Li-ion	25.9V，2000mAh，Li-ion
Working Time	Low speed-12 minutes Mid Speed-20 minutes High Speed--40minutes	Low speed-12 minutes Mid Speed-25minutes High Speed--45minutes
Charging Time	4-5 hours	4-5 hours
Vacuum	up to 20kpa	up to 24kpa
Noise Level (dBA)	⩽76	⩽76
Dustcup Capacityd	350mL	350mL
Power Regulation	3 speeds	3 speeds
Filtilation System	Cyclonic with HEPA +Metol mesh	Cyclonic with HEPA +Metol mesh
Package Weight(Kg)	3.5	3.5
Loading QTY(20GP/40GP/40HQ)	1152/2448/2720	1152/2448/2720
MOQ	1152PCS	1152PCS

VC8006-3







Technical Data	
Model	VC8006-3
Motor type	Brushless Motor
Floor brush type	Motor Driven-Power Brush
Power (W):	380W
Color	Spray Color (Blue and Grey)
Rating voltage	25.9V60Hz
Battery	lithium battery，2200MAH
Dustcup Capacityd	0.8L
Voltage	25.9V
Charging time	3-4 hours
Working time	20-30 minutes
Vacuum (Max)	⩾22Kpa
Bag Or Bagless:	Bagless
Noise Level (dB)	⩽75dBA
Air inlet filter	Micro Sponge filter+Stainless steel Cyclone
Package	N/W 2.5kg / G/W 4.1kg Inner Carton Dimension 45.5*35*18.5cm Outer Carton Dimension (3 in 1)47*36.5*58cm 20'GP 960units / 40'GP 1980units 40HQ 2370units

Functional features:

1.Cyclonic filtration technology
2.Foldable tube,one-key bending, clean without bending
3.Electric brush with easy to clean, prevent hair tangling
4.Filtration system can be washable
5.4 hours quick charge, up to 35minutes running time
6.Strong suction with digital brushless motor

Accessories：

· Two-in-one uphostery brush
· Long crevice tool
· Motor Driven-Power Brush
· Foldable tube
· wall mount with Screws
· Charger adapter

VC8006-4











Technical Data	
Model	VC8006-4
Motor type	Brushless Motor
Floor brush type	Motor Driven-Power Brush
Color	Motor Driven-Power Brush
Power (W)	Spray Color (Purple and Grey)
Voltage	380W
Battery info	lithium battery，2200MAH
Tank Capacity	0.8L
Charging time	3-4 hours
Working time	20-30 minutes
Vacuum (Max)	⩾22Kpa
Noise Level (dB)	⩽75dBA
Bag Or Bagless	Bagless
Air inlet filter	Hepa filter+Stainless steel Cyclone
Package	Product size:44*33.5*18.5cm Carton Size:47*36.5*58cm Carton N/W:3KG / Carton G/W:3.8KG 20'GP CNTR:960pcs / 40'GP CNTR:2040pcs 40'GP CNTR:2420pcs

Functional features:

1.Cyclonic filtration technology
2.Telescopic tube
3.Electric brush with easy to clean, prevent hair tangling
4.Filtration system can be washable
5.4 hours quick charge, up to 35minutes running time
6.Strong suction with digital brushless motor

Accessories:

- Two-in-one combo brush
- Long crevice tool
- Cleaning brush
- Telescopic tube
- Hose
- Two brush rollers for all kinds of floor
- Two inner filters
- Wall mount with Screws
- Charger adaptor

VC8011-1









Technical Data	
Model	VC8011-1
Motor type	Brushed Motor
Floor brush type	Motor Driven-Power head
Motor Power (W):	120W
Color	Injection color
Certificates	CE
Battery	lithium battery，2000MAH
Dustcup Capacityd	0.8L
Voltage	22.20V
Charging time	4-5 hours
Working time (Minutes)	20-30
Vacuum (Max)	⩾10Kpa
Bag Or Bagless:	Bagless
Noise Level (dB)	⩽75dBA
Speed cotrol	2 speed regulators
Air inlet filter	Hepa filter+Stainless steel Cyclone


Functional features:


1.True-multi-cone filter
2.Fashion Design
3.Electric brush with easy to clean, prevent hair tangling
4.Filtration system can be washable
5.4 hours quick charge, up to 35minutes running time

Accessories:

· Long crevice tool
· 2-in-1 upholstery brush
· Metal Tube
· Wall mount with Screws
· Charger adaptor

VC8011-2









Technical Data	
Model	VC8011-2
Motor type	Brushless Motor
Floor brush type	Motor Driven-Power head with LED light
Motor Power (W):	350W
Color	Injection color
Certificates	CE
Battery	lithium battery，2000MAH
Dustcup Capacityd	0.8L
Voltage	25.90V
Charging time	4-5 hours
Working time (Minutes)	12-45
Vacuum (Max)	⩾26Kpa
Bag Or Bagless:	Bagless
Noise Level (dB)	⩽76dBA
Speed Control	"Smart Auto speed control and Multi speed control
Air inlet filter	True-Multi-cone filter

Functional features:

1.True-Multi--cyclone system
2.Intelligent Display
3.Electric brush with easy to clean, prevent hair tangling
4.Filtration system can be washable
5.4 hours quick charge, up to 35minutes running time
6.Dust Sencor
7.LED Indicator

Accessories:

· Long crevice tool
· 2-in-1 upholstery brush
· Metal Tube
· Wall mount with Screws
· Charger adaptor

VC8018





Technical Data	
Model	VC8018
Product Type	Corded handstick Vacuum Cleaner
Color	Injection color
Input	100-240V,50-60Hz
Motor power	500W AC motor
Power Cord	5m with LVD Plug
Vacuum	18.5Kpa
Air inlet filter	Multi Cyclone+Stainless steel filter
Dust tank Capacity	0.8L
Noise Level	78dB(A)
Indicator light	Yes
N.W/G.W	1.3KG/3.5KG
package size	460*265*150mm
Loading	20GP: 1780PCS 40GP: 3260PCS 40HQ: 3650PCS

Accessories:

· Crevice Tool
· ECO plastic brush
· 2-pc plastic tube

VC8014-1
FLOOR WASHER



Technical Data	
Model	VC8014-1
Motor Power (W)	200W
Battery Type	25.9V，2600mAh，Li-ion
Working Time	Low speed-27 minutes; High Speed--23minutes
Charging Time	4-5 hours
Vacuum	up to 9.5kpa
Noise Level (dBA)	≤75
Clean water tank	600mL
Dirty water tank	550mL
Power Regulation	2 speeds
Filtilation System	HEPA Filter+Stainless Steel Cylone
Package Weight(Kg)	7.65
Loading QTY(20GP/40GP/40HQ)	TBD
MOQ	TBD

VC8014-2
FLOOR WASHER



Technical Data	
Model	VC8014-2
Motor type	Brushed Motor
Floor brush type	Electric floor brush
Power (W)	250W
Color	Injection color
Battery	lithium battery，4000MAH
Water Tank Capacity	Dirt water tank :0.55L，Clean water tank :0.6L
Voltage	28.8V
Charging time	3-5hours
Working time	35-40 minutes
Vacuum (Max)	6500pa
Noise Level (dB)	⩽72dBA
Air inlet filter	Hepa filter+Stainless steel Cyclone
Accessories	Charging base charger


Functional features:

1.For both wet and dry garbage
2.Multi function
3.Voice prompts
4.Drying function
5.Self-cleaning function
6.Speed Control

VC2005
CAR VACUUM CLEANER









Technical Data	
Model	VC2005
Power	72W
Noise	⩽78dB(A)
Suction	⩾2500pa
Dust cup volume	0.4L
Inner packing size	28*11.5*11.5cm
Carton size	62*29.5*49cm
Qty of loading	Qty/20'GP CNTR:288pcs Qty/40'GP CNTR:608pcs Qty/40'GP CNTR:684pcs

Functional features:

1.Cyclone system
2.Lightweight
3.Easy to store

Schwarzwald®

Jiangsu Schwarzwald Tech Co.,Ltd.

Add: Chenfeng Road,Zhangjiagang Free Trade Zone,Jiangsu,China
Tel: 0086-512-58788519 Fax: 0086-512-58289528
Web: www.hslair.com www.factoryhomecare.com